



promark[®]

MARK OF PROFICIENCY

PROGRESSIVE | PROACTIVE | PROFICIENT

Complete solutions covering **EdTech**, **Audio-Visual integration**,
and **Furniture**



About us

PROMARK takes great pride in being part of the "Make in India" initiative, which aims to promote and develop India as a manufacturing hub for the world. The company is committed to producing high-quality, innovative products that are made in India and contribute to the growth of the Indian economy. As a pioneering venture into a unique field, PROMARK adheres to global standards in technology and quality, standing alone in its commitment to excellence while proudly representing the "Make in India" initiative.

Message from Management

On behalf of the entire team at PROMARK TECHSOLUTIONS PRIVATE LIMITED, We would like to extend our heartfelt gratitude for your continued support and trust in our products and services. Your patronage inspires us to constantly strive for excellence and deliver the best possible solutions to meet your evolving needs. As Mahatma Gandhi once said, "Be the change you wish to see in the world," and we take that message to heart as we continuously improve our operations, communication, accountability, and decision-making.



PS Brar
Founder-Chairman

Ashwani Kumar
Founder-Managing Director



125 Cr

Average of 3 years



6500+

Orders executed on Gem



20000+

Satisfied customers



270+

Professionals
across the country



Our **Vision**

Our vision is to be a trusted partner in progress for our customers, known for our commitment to innovation, sustainability, and excellence. We aspire to create a culture of continuous improvement and growth, where our team members are inspired to exceed expectations, push boundaries, and embrace new challenges. By staying true to our core values of honesty, integrity, and reliability, we aim to make a positive impact on the communities we serve and be recognized as a leader in our industry.

Our **Mission**

Our mission is to be a true partner in progress with our customers by exceeding their expectations through continuous product and service evolution and improvement. We are committed to fostering an environment that supports the performance, achievement, growth, and development of every member of our team, making us the preferred employer for talented and passionate individuals. We believe in conducting business in a fair, honest, and ethical manner, with a focus on maximizing business returns and making our associates proud of their association with us.



ED TECH

Index

- Interactive Flat Panels 04
- Information Kiosk 05
- PTZ Cameras 06
- Document Cameras 07
- OPS 08
- SpeakerPhones 09
- Web Cam 10
- Digital Podium 11
- IFPD Protective Shutters 12

.....
ALL PRODUCTS ARE AVAILABLE ON GEM



An Interactive Flat Panel Display (IFPD) is a smart touch-enabled screen that combines display, writing, and collaboration features in one device



-  Android Version 14.0 or above
-  OCTA/Quad Core
-  Zero Bonding Type
-  Type C Full powered
-  ≥7H Toughened Glass
-  5.0 Bluetooth version or above
-  8GB RAM or above
-  128GB Internal Storage or above

GOOGLE EDLA CERTIFIED FOR A TRUE GOOGLE EXPERIENCE

Promark Interactive Flat Panel Displays are officially Google EDLA certified, ensuring an authentic and secure Android experience. With built-in Google Play Store, educators and professionals can easily download and use thousands of trusted apps for learning, collaboration, and productivity. The panel runs on the latest Android 14, offering smooth performance, advanced multitasking, and a user-friendly interface.



-  **Google Play Store Access**
Access educational and productivity apps directly.
-  **Powered by Android 14**
Latest, fast, and user-friendly interface.
-  **Optimized with Google Services**
Smooth and optimized performance.
-  **Built-in Google Docs Editor**
Edit and share files with ease.
-  **Google Play Protect Security**
Enhanced data safety and device security.



Promark Information Kiosk is an advanced interactive terminal designed for information sharing, navigation, and digital communication in public spaces, institutions, and corporate environments.



Android 13



178° Viewing
Angle



6ms Response Time



350 Nits
Brightness



Touch /Non touch
Optional



Full HD
Resolution

Information kiosk(K-Type)

Promark K type Information Kiosk is designed to provide an engaging and user-friendly digital experience for visitors through its sleek, modern design and responsive touchscreen display.


- Sleek and modern design draws more attention.
- High brightness display ensures visibility even in well-lit areas
- Digital Kiosk— reduces paper usage over time
- Touch-enabled for real-time engagement and navigation.
- Energy Efficient





Promark PTZ Camera is a high-performance auto-tracking camera designed for meetings, classrooms, and conferences. It automatically follows the presenter's movement, ensuring clear and professional video output. With Full HD/4K resolution, wide-angle lens, and smooth pan-tilt-zoom control, it captures every detail with precision. Supporting USB, HDMI, and LAN connectivity, it easily integrates with interactive panels and online platforms like Zoom or Teams, making it ideal for smart learning and corporate communication.

PRO 500V



- Smart auto & voice tracking for smooth focus.
- 4K Ultra HD clarity at 60fps.
- 20x optical zoom with sharp details.
- 4-mic array for clear voice pickup.
- Wide pan $\pm 170^\circ$ and tilt $-30^\circ \sim +90^\circ$.
- Auto framing with intelligent zoom.
- Rich interface for easy integration.

PRO 3008



- High resolution 4K Ultra HD video quality
- Wide range 340 degree pan and 120 degree tilt
- Multiple control options via remote and PC
- Memory storage for up to 255 preset positions
- Fast and accurate 60 degree per second rotation
- Smart AI tracking with sound and gesture control

PMTS-71PN



- 4K Ultra HD clarity at 60fps.
- 25X Optical Zoom Lens
- USB3.0+HDMI+LAN+SDI Full interfaces, Rich Application Scenarios
- Next-generation human and facial recognition tracking algorithm
- Infrared Remote Control Signal
- Transparent Transmission Function
- Multiple Video Compression Standards



Crystal-Clear Voice Detection



Dynamic Zoom with Wide Coverage



Unrivaled High Quality



Multiple Installation Options



Promark Document Camera & Visualizer enables clear and detailed live presentation of documents, books, objects, and 3D models. With high-resolution imaging, zoom capability, and flexible viewing angles, it is ideal for classrooms, training rooms, and conference environments.

PM-DC-01



- 8MP HD camera with autofocus for sharp images.
- Supports image, video, and document formats.
- Scans in just 1 second.
- 3264×2448 high resolution output.
- USB-A & USB-B connectivity.
- LED light for clear results in low light.
- Real-time Annotation

PMV-01



- 16MP Ultra HD sensor for crystal clear images.
- 8x lossless zoom at 1080P resolution.
- A3 shooting range for large documents.
- HDMI, VGA, and USB triple output support.
- PC-free mouse control for real-time annotation.
- Direct TF card storage for photos and videos.

PMV-0



- 8 Mega pixel HD scan
- Comes with LED filllight
- Physical scan Videorecording
- A4 large format
- Compare with the screen
- OCR text recognition
- Multiple output
- Withbrowsingfunction:16screens



OPS (Open Pluggable Specification) is a standard that enables easy integration of computing modules into display systems like digital signage and interactive panels.



How is OPS used with IFPD?

- You plug the OPS directly into the IFPD.
- It works like a built-in PC.
- You can run Windows, open files, browse the internet, and use apps — all on the IFPD screen.
- No need to connect any external computer.
- Additional storage



Windows OS



4K
Compatibility



i7 & i5
(4th/11th/12thgen)



8GB RAM
or higher



256GB SSD
Internal Storage
or higher

Benefits of using OPS



Easy to use – Just plug and play.



No extra wires or devices
(Everything runs from the screen itself)



Works fast
(Like a full computer)



Good for online meetings
and presentations



PRO AI5W



4K ePTZ Camera:

Delivers ultra-clear video quality with smooth electronic pan, tilt, and zoom functions.

AI Auto Framing and Face Tracking Function

Stay perfectly centered with intelligent auto-zoom and pan. Effortless professional video.

10m Pickup Range

High-performance microphones capture crystal-clear audio from up to 10 meters away.

DSP Audio

Advanced Digital Signal Processing reduces noise and echo for superior sound clarity.

AI Speaker Tracking

Automatically focuses on the active speaker for an engaging experience.

20W Speakers:

Powerful built-in speakers ensure clear and loud sound output.

Omnidirectional Voice Pickup

4 microphone array with 2 extension mics for voice pick up range to 10m.

Long Endurance

Built-in 3000mAh battery, that can last up to 10 hours of conversation. Provide clear, smooth and stable audio and video experience.

Wireless Extension Microphone

With two wireless extension microphones to enlarge voice pick up range up to 10 meters. Suitable for people 10-15.

Dynamic background reduction

With dynamic noise reduction technology, enjoy clear and smooth video meeting.

PRO BTD7



PRO BTD3



8 hours of battery life

Built-in 3000mAh battery Up to 10 hours meeting.

Wireless connection

Built-in high quality Wireless module, connect with various Wireless device and minimize cable clutter.

360° voice pickup

Built-in 6 microphone for 360° voice pickup with radius up to 3 meters.

Works with most video conferencing applications

Compatible with most of video conferencing software, like Skype for Business, Zoom, WebEx and so on.

Hi-Fi audio

Built-in Hi-Fi speaker. Lifelike and fullvoice.

Plug-and-play USB connectivity

1.2 meters USB cable, plug-and-play with any PC or UC platform.

Clear Audio

Full-duplex echo cancellation (65dB), noise compression, auto gain control, and intelligent mic direction for crystal-clear sound.

360° Pickup

4-meter range with 100Hz-22kHz frequency response and 85dB speaker output.

Multiple Connectivity

Bluetooth, Type-B USB, and 3.5mm audio in/out interface.

Long Battery Life

5200mAh battery for 8+ hours use and 90-day standby; USB powered option.

Smart Control

LED indicators for status, easy buttons for volume, mute, and calls.

Certified & Reliable:

CE and RoHS approved, low noise (<48dBA), and compact 152×152×38mm design.

PRO VC232





PRO MINI



4K UHD

A 1/2.7" UHD CMOS sensor with 8.29MP supports 4K@30fps output, offering clear and detailed video quality.

110° Wide Angle:

A 110° ultra-wide lens reduces distortion and automatically adjusts the view using group framing technology.

6M Clear Audio Pickup

Built-in beamforming microphones with noise suppression and auto gain provide clear voice pickup up to 6 meters.

Full-Featured USB 3.0

USB 3.0 supports power, video, and audio through one cable and allows input from two video sources and one audio source.

Ultra HD 4K Clarity:

Capture every detail with an 8MP sensor and 4× digital zoom. Supports 4K (3840×2160) resolution at 30fps for lifelike visuals.

Crystal-Clear Audio:

Dual omnidirectional microphones with advanced 3A processing (AEC, AGC, ANS) deliver noise-free, natural sound up to 7 meters away.

Smart AI Tracking:

Built-in AI enables auto framing and speaker tracking, ensuring you stay centered and in focus during meetings.

Plug & Play Compatibility:

Works seamlessly with Windows, macOS, Android, and Chrome OS. Compatible with Microsoft Teams, Zoom, Cisco Webex, and Google Meet.

PRO UP4C



PRO C470



5X Digital Zoom

Zoom in and move around to get a closer view with precision when you need, using Innex software.

Auto-Framing

Camera embedded AI-based smart framing. Capture all participants and automatically adjust to the best framing position.

120° Wide View Angle

Designed for small meeting spaces, capture more with less space required

Omnidirectional Noise-Cancelling Mic

Built-in two mics that pick up your voice from all sides up to 4m / 13ft. Detect and filter the background noise.

Low Light Correction

The DNR technology ensures crisp and clear visuals even under low light conditions.

Omnidirectional Noise-Cancelling Mic

Built-in two mics that pick up your voice from all sides. Detect and filter the background noise.

H.264 Video Streaming

Improve compression performance and deliver high quality video within limited bandwidth.

Privacy Shutter



The built-in privacy shutter provides cyber security. Simple and effective.

PRO C220







Promark Digital Podium – a modern solution for smart classrooms and auditoriums, integrating display, audio, and control in one unit.



Promark Audio Podium – designed for clear communication and powerful sound delivery. Ideal for lectures and conferences with built-in mic, amplifier, and easy connectivity options.





Promark IFPD Shutter is a protective cover designed to safeguard Interactive Flat Panel Displays from dust, scratches, accidental touch, and physical damage. It provides a secure front shield when the display is not in use, ensuring long-term durability and maintaining the panel in perfect condition. Ideal for classrooms, training rooms, and public areas where display safety is essential.

Sliding Shutter



Almirah Shutter



One Side Slide Shutter



Lockable Slider



Frameless



Writing Free



MS CRCA Frame
(Metallic)

AUDIO VISUAL Index

- Column Speakers 14
- Foh System 15
- Line Array 15
- Subwoofers 15
- Outdoor Active Led Video Wall 16
- Indoor Active Led Video Wall 17
- Conference System 18
- Ceiling Array Microphone 19
- Auditorium Setup 20
- Hybrid Classrooms/Seminar
Halls/Lecture Hall Solutions 21
- Convention Halls/Stadium
/Museum Solutions..... 22
- Recording and Streaming
Solutions 23

.....
ALL PRODUCTS ARE AVAILABLE ON GEM



Promark's high-performance speakers deliver powerful, crystal-clear sound for classrooms, conference rooms, and auditoriums. Designed for professional AV setups, they ensure rich audio quality and seamless integration with modern systems.

Column Speaker



Model	PM-1588MK TOP	PM-1588MK SUB
Components	4X5" woofer + 44mm HF driver	1x15" subwoofer
Frequency Response (Hz)	35–20 KHz	
RMS Power (W)	350	500
Program Power (W)	700	1000
Max SPL (dB)	130	
Dispersion (H x V)	120°x30°	
Connector	Wireless	COMBO, Bluetooth, RCA

MODEL	PM-1988MK TOP	PM-1988MK SUB
Components	6X5" woofer + 2x44mm NEO driver	2x15" subwoofer
Frequency Response (Hz)	35–20 KHz	
RMS Power (W)	500	1000
Program Power (W)	1000	2000
Max SPL (dB)	132	
Dispersion (HxV)	120°x10°/-20°	
Connector	w/o cable	COMBO, Bluetooth, RCA

MODEL	PM-1898MK TOP	PM-1898MK SUB
Components	TOP1: 6x3.5" woofers + HF driver	18" subwoofer
	TOP2: 6x3.5" woofers	
Frequency Response	150–15K	35–150
RMS Power (W)	300	500
Program Power (W)	600	1000
Max SPL (dB)	127	132
Connection	w/o cable	COMBO, Bluetooth

FOH System



MODEL	PRO-62A	PM-300DSP	PM-1200A	PM-1500	PM-151A	PM-121A
Components	2×6.5"woofer+1.4" HF driver	10"woofer +1.4" driver	12"woofer+1.75"HF driver	15"woofer+3"HF driver	12"woofer+1.4"HF driver	15"woofer + 1.75" HF driver
Frequency Response	60-20k	55-20k	55-20k	45-20k	50-20k	45-20k
RMS Power (W)	200	350	600	1000	450	550
Program Power (W)	400	700	1200	2000	900	1100
Max SPL (dB)	127	124	132	134	132	134
Dispersion	60×60	90×45				
Connection	Combo	Combo,DCA	XLR input and output	XLR input and output	Combo,RCA, Bluetooth and USB	Combo,RCA, Bluetooth and USB

Line Array

MODEL	PMX-208A	PMX-208SA	PMX-210A	PMX-210SA	PMX1700
Components	2×8" woofer + 3" VC HF driver	18 Subwoofer	2×10" NEO + 3" VC HF driver	18 Subwoofer	12" NEO + 2×3" VC Titanium drivers
Frequency Response (Hz)	50-20K	35-80/100/120/ CARDIOID	50-20K	35-80/100/120/ CARDIOID	50-20K
RMS Power (W)	800	800	1000	1000	1000
Program Power (W)	1600	1600	2000	2000	2000
Dispersion (@6dB)	H120°×V10°		H100°×V10°	\	H100°×V10°
Max SPL (dB)	130	130	130	133	130
Connection	XLR	XLR	XLR	XLR	XLR



Subwoofer



MODEL	PMX-318SA	PMX-118SA
Components	2×18" subwoofer with 5" VC	18 Subwoofer with 4"VC
Frequency Response	30-80/100/120/CARDIOID	30-80/100/120/CARDIOID
RMS Power	3200 W	1000 W
Max. SPL	138 dB	135 dB
Connection	/	2× XLR input, 2× XLR output
XLR, Ethernet	XLR	/

Wall Speaker



Ceiling Speaker



Garden Speaker



Waterproof Wall Mount Speaker with Power Tap

- Rated Power: 20W, 30W, 40W, 80W
- Driver Unit: 4"x1, 1"x1; 5"x1, 1"x1; 6.5"x1, 1"x1; 8"x1, 1"x2
- Sensitivity: 90±2dB, 90±2dB, 91± 2dB, 92±2dB
- Max SPL: 103±2dB, 105±2dB, 107±2dB
- Material: ABS
- Waterproof level: IP55

Coaxial Ceiling Speaker

- Rated Power: 20W,40W,60W
- Driver Unit:6.5"x1, 1"x1; 6.5"x1, 1"x1; 8"x1, 1"x1
- Sensitivity: 88± 2dB, 91± 2dB, 92± 2dB
- Max. SPL: 101±2dB; 107±2dB; 110±2dB
- Frequency Response: 60Hz-18kHz; 50Hz-20kHz; 45Hz-20kHz


PROMARK Garden Speaker

- Rated Power: 10W, 15W,20w,23W
- Driver Unit: 4.5"x1; 5"x1, 1"x1; 6.5"x1; 6.5"x1
- Sensitivity: 86± 2dB, 91± 2dB, 88±2dB
- Voltage: 100V, 70/100V, 70/100V, 70V(12W-23W), 100V (23W)
- IP×6 waterproof level
- Heavy damage proof finish




Promark Outdoor Active Video Wall is built to deliver high-impact visuals even in bright daylight. With weatherproof design, high brightness, and wide viewing angles, it ensures clear and vibrant display performance in any outdoor setting. Ideal for advertising, events, and public displays, it offers durability, visibility, and seamless performance in all conditions.

Outdoor led Video wall



Indoor Led Video Wall



Parameter	P2.5	P4	P6
Pixel Pitch	2.5mm	4mm	6mm
LED Type	SMD1515	SMD1921	SMD2727
Module Resolution (W×H)	128×64 = 8192 Pixels	80×40 = 3200 Pixels	48×24 = 1152 Pixels
Pixel Density (pixels/m²)	160000	62500	22500
Module Size (W×H)	320mm × 160mm	320mm × 160mm	320mm × 160mm
Cabinet Size (W×H×D)	640mm × 640mm × 79mm	960mm × 960mm × 133mm (With Back Cover)	960mm × 960mm × 133mm (With Back Cover)
Cabinet Weight	12.5 kg	26.5 kg	26.5 kg
Maintenance	Rear	Rear	Rear
Ingress Protection	IP66 (Front & Rear)	IP65 (Front), IP54 (Rear)	IP65 (Front), IP54 (Rear)
Cabinet Material	Die-cast Magnesium	Die-cast Magnesium	Die-cast Magnesium
Single-dot Brightness Calibration	Support	Support	Support
Brightness	5000 cd/m²	6000 cd/m²	6000 cd/m²
Color Temperature	2000K-9300K Adjustable	2000K-9300K Adjustable	2000K-9300K Adjustable
Beam Angle (Hor/Ver)	140° / 140°	160° / 140°	160° / 140°
Brightness/Color Uniformity	≥98%	≥98%	≥98%
Contrast Ratio	5000:1	5000:1	5000:1
Input Power (Max)	637 W/m²	675 W/m²	710 W/m²
Input Power (Typical)	191 W/m²	203 W/m²	213 W/m²
Power Supply Input Voltage	AC90-132V / AC186-264V, 47-63Hz	AC90-132V / AC186-264V, 47-63Hz	AC90-132V / AC186-264V, 47-63Hz
Frame Changing Frequency	60Hz	60Hz	60Hz
Refresh Rate	3840Hz	3840Hz	3840Hz
Processing Depth	12-14 Bit	12-14 Bit	16 Bit
Video Support	2K, 4K	2K, 4K	2K, 4K
Life Span (hrs)	100000 hrs	100000 hrs	100000 hrs
Working Temp/Humidity (°C/RH)	-20°C-50°C / 10%-80% RH (No Condensation)	-20°C-50°C / 10%-80% RH (No Condensation)	-25°C-55°C / 10%-85% RH (No Condensation)
Storage Temp/Humidity (°C/RH)	-20°C-55°C / 10%-85% RH (No Condensation)	-20°C-55°C / 10%-85% RH (No Condensation)	-25°C-55°C / 10%-85% RH (No Condensation)
Certification	CE / CB / ROHS / EAC	CE / CB / ROHS / EAC	CE / CB / ROHS / EAC



Experience crystal-clear communication with Promark's Conference System — designed for seamless meetings and discussions. It offers superior sound quality, easy connectivity, and modern design for professional spaces.



Desktop Delegate and Chairman Unit

- The microphone adopts 48KHz high sampling rate, and the sound and audio are wide and high-fidelity
- Provides noise reduction processing technology, the sound pickup distance can reach 50cm
- The chairman unit has an approval / priority optional key (customizable through the system host), and the priority key is used to control the speaking order
- The unit supports software remote opening or closing functions.
- A single host has 4-channel unit microphone connection interface, 2 channels can be ring-backed up, a single channel can carry 15 units, a single unit can carry up to 60 units , and the unit microphone can be hot-swapped.

Conference System Host

- Built-in high-performance audio DSP processing chip, providing equalizer, high-pass filter , feedback suppression, automatic gain, noise reduction , audio mixing matrix , delay and other functions . The audio matrix can realize arbitrary mixing from input to output.
- Configure and manage conference function parameters through a web browser
- With conference unit control function, support remote opening or closing of units in the system can be customized, with a maximum of 10 microphones





129 array microphone



17 PA zones and 33 Pick up zones



System Delay <18ms



Rich interfaces



Gain by 15db




Low-latency deep noise reduction



Dante transmission Protocol




Multiple Cascades



- **DANTE/LAN/POE (RJ45):** Dante signal, control, network & PoE power
- **LINK IN:** Analog cascade input
- **LINK OUT:** Analog cascade output
- **USB Type-C:** Firmware upgrade & USB 2.0 audio
- **RS485:** Standard control interface

- **WL:** Wireless microphone analog input
- **LINE IN:** External audio input (PC)
- **AEC IN 1/2:** Far-end reference audio input
- **SPK OUT 1/2:** Speaker analog output
- **AEC OUT 1/2:** Remote analog audio output
- **DC 12-48V:** Power input voltage range



Smart Classroom/Lecture Solution



Smart Meeting Room Solution



AUDITORIUM SEMINAR HALLS MULTIPURPOSE HALL



- Sound Reinforcement
- Multimedia Audio Visual Presentations
- Video & Audio-Conference
- Acoustic Work
- Stage Lighting
- Stage Engineering
- Auditorium Chairs
- High end Projectors
- Recording & Streaming
- Control Automation



HYBRID CLASSROOMS SEMINAR HALLS LECTURE HALLS

- Online & offline Classroom setup
- Classroom Recording Studios
- Interactive Sessions from faculty and Students
- Multimedia Audio Visual Presentations
- Wired & Wireless Presentations
- Video & Audio-Conference
- Acoustic Work
- LED Video Walls
- Interactive Panels
- Classroom Scheduler
- Ceiling Microphones
- Control Automation



CONVENTION HALLS STADIUM / MUSEUM

- High End Audio System for Indoor & Outdoor
- Indoor & Outdoor Video Wall
- Light & Sound Show and 3D Mapping
- Multimedia Audio Visual Presentations
- 3D Holographic & Transparent Screen
- Interactive Video Wall
- PA System & Background Music System
- Facade Lighting
- Interactive Led Floor





Promark's Recording & Streaming Solution enables seamless live streaming and high-quality recording of lectures, meetings, and events. Designed for modern classrooms and conference setups, it ensures smooth performance, clear visuals, and easy content sharing across multiple platforms.



FURNITURE Index

• Executive Tables.....	25-34
• Wooden Cabinets	35-36
• Office Tables	37-39
• Computer Tables	40-42
• Workstations	43-47
• Conference Tables	48-53
• Reception Tables	54-57
• Cushion Chairs	58-63
• Mesh Chairs	64-66
• Wooden Chairs	67-68
• Student Chairs	69
• Sofa	70-72
• Centre Tables	73-74
• Public Seating Chairs	75-76
• Metal Furniture	77-80
• Mobile Compactor System	81
• Desking	82-90
• Lecture Hall Seating	91-95
• Wooden Lecture Stand	96-97
• Library Furniture	98-101
• Hostel Furniture	102-106
• Study Tables and Study Chairs	107-109
• Storages	110-111
• Laboratory Tables and Stools	112-117
• Cafeteria	118-120
• Auditorium Chairs	121-122
• Kindergarten Furniture	123-125
• Writing and Display Boards	126-128
• Hospital Furniture	129-131
• Open Gym Equipment	132-133
• Children's Park Equipment	134-135

ALL PRODUCTS ARE AVAILABLE ON GEM

Petal




PHET-01

The Petal Executive Table by Promark features a premium wooden finish with a modern, elegant design. Its spacious top, smart storage, and sturdy structure make it ideal for professional and executive workspaces.

Overall size	2400 x 1950 x 775 mm
Top Size	1950 x 1050 mm
ERU	1950 x 450 x 640 mm
Pedestal	1050 x 450 x 640 mm



Orchid



PHET-02

Overall size	2700 x 1800 x 775 mm
Top Size	2700 x 900 mm
Centre Unit	1200 x 450 x 700 mm

Lotus



PHET-03

Overall size	3200 x 2150 x 775 mm
Top Size	2800 x 1100 mm
ERU	2080 x 700 x 630 mm
Pedestal	930 x 700 x 630 mm

Apex



PHET-04

Overall size	3160 x 2200 x 750 mm
Top Size	2910 x 1160 mm
ERU	2200 x 760 x 590 mm

Majestic



PHET-05

Overall size	1850 x 1650 x 760 mm
Top Size	1805 x 850 mm
ERU	1650 x 400 x 640 mm

CLASSIC

PHET-06

Overall size	2400 x 2100 x 750 mm
Top Size	2400 x 900 mm
ERU	2100 x 500 x 700 mm
Pedestal	400 x 450 x 550 mm
Back Unit	2400 x 400 x 2100 mm

Features

- Telescopic channel drawers
- Centralized Locking
- Soft Close Hinge Shutters
- Top Thickness: 45 mm Sandwich
- Side Top Thickness: 45 mm Sandwich
- Stainless Steel Handles
- Plinth Adjusters



CONCLAVE

PHET-07

Overall size	2100 x 2100 x 750 mm
Top Size	2100 x 900 mm
ERU	2100 x 500 x 700 mm
Pedestal	400 x 450 x 680 mm

Features

- Telescopic channel drawers
- Centralized Locking
- Soft Close Hinge Shutters
- Top Thickness: 45 mm Sandwich
- Side Top Thickness: 45 mm Sandwich
- Stainless Steel Handles
- Plinth Adjusters



NOVA

PHET-08

Table Size 1	2400 x 900 x 760 mm
ERU Size 1	1800 x 500 x 640 mm
Table Size 2	2400 x 1050 x 760 mm
ERU Size 2	2250 x 500 x 640 mm

Features

- Telescopic channel Drawers
- Soft Close Hinge Shutters
- PU Polished Designed Modesty
- Top Thickness: 36 mm/45 mm
- Side Top Thickness: 25 mm/36 mm
- G-Profile Handles
- Plinth Adjusters



AURA

PET-51

Table Size	1800 x 750 x 750 mm
ERU Size	1800 x 450 x 640 mm

Features

- Telescopic channel drawers
- Centralized Locking
- Soft Close Hinge Shutters
- Top Thickness: 36 mm
- Side Top Thickness: 18 mm/25 mm
- Stainless Steel Handles
- Plinth Adjusters

VERTEX

PET-52

Table Size	1800 x 750 x 750 mm
ERU Size	1800 x 450 x 640 mm

Features

- Telescopic channel drawers
- Centralized Locking
- Soft Close Hinge Shutters
- Top Thickness: 36 mm
- Side Top Thickness: 18 mm/25 mm
- Stainless Steel Handles
- Plinth Adjusters



META

PET-53

Table Size	1500 x 750 x 750 mm
ERU Size	1500 x 450 x 640 mm

Features

- Telescopic channel drawers
- MS Powder Coated Frame
- Centralized Locking
- Soft Close Hinge Shutters
- Top Thickness: 36 mm
- Side Top Thickness: 18 mm/25 mm
- Stainless Steel Handles
- Plinth Adjusters





NEXUS

PET-54

Table Size 1	2400 x 1100 x 750 mm
ERU Size 1	1800 x 450 x 750 mm
Table Size 2	1800 x 750 x 750 mm
ERU Size 2	1200 x 450 x 750 mm
Pedestal	400 x 450 x 680 mm

Features

- MS CRCA Perforated modesty
- MS Powder Coated Frame
- Telescopic channel drawers
- Centralized Locking
- Top Thickness: 25 mm/36 mm
- Side Top Thickness: 25 mm/36 mm
- Stainless Steel Handles
- Plinth Adjusters

NEON

PET-55

Table Size	1800 x 750 x 750 mm
ERU Size	1200 x 450 x 750 mm
Pedestal	400 x 450 x 680 mm

Features

- MS CRCA Perforated modesty
- MS Powder Coated Frame
- Telescopic channel drawers
- Centralized Locking
- MP Lock
- Top Thickness: 18 mm Phenolic Panel
- Side Top Thickness: 18 mm Phenolic Panel
- Recessed Handles
- Plinth Adjusters



LOG

PET-58

Table Size	2100 x 900 x 750 mm
ERU Size	2100 x 450 x 640 mm
Pedestal	400 x 600 x 640 mm

Features

- Telescopic channel drawers
- Centralized Locking
- Top Thickness: 36 mm Post Formed
- Side Top Thickness: 36 mm Post Formed
- KBPT
- Stainless Steel Handles
- Plinth Adjusters





MODERN

PET-57

Table Size	2100 x 900 x 750 mm
ERU Size	1200 x 450 x 750 mm
Back Unit	1800 x 400 x 750 mm

Features

- Telescopic channel drawers
- Sliding Shutters
- Centralized Locking
- Top Thickness: 25 mm/36 mm
- Side Top Thickness: 25 mm/36 mm
- ERU Top Thickness: 18 mm/25 mm
- Stainless Steel Handles
- Plinth Adjusters

SQUARE

PET-09

Table Size	2100 x 900 x 750 mm
ERU Size	1200 x 450 x 640 mm
Pedestal	400 x 600 x 640 mm

Features

- Telescopic channel drawers
- Soft Close Hinge Shutters
- Centralized Locking
- Top Thickness: 25 mm/36 mm
- Side Top Thickness: 25 mm/36 mm
- Stainless Steel Handles
- KBPT
- Plinth Adjusters



ESPRESSO

PET-06

Table Size	1800 x 750 x 750 mm
ERU Size	1500 x 450 x 725 mm
Pedestal	400 x 450 x 680 mm

Features

- Telescopic channel drawers
- Soft Close Hinge Shutters
- Centralized Locking
- Top Thickness: 25 mm/36 mm
- Side Top Thickness: 25 mm/36 mm
- Stainless Steel Handles
- Plinth Adjusters





OPTIMUS

PWT-12

Table Size	1800 x 900 x 750 mm
ERU Size	900 x 450 x 750 mm
Back Unit	(1200+900) x 450 x 1800/750 mm

Features

- Telescopic channel drawers
- Soft Close Hinge Shutters
- Centralized Locking
- Top Thickness: 25 mm/36 mm
- Side Top Thickness: 25 mm/36 mm
- Stainless Steel Handles
- Plinth Adjusters

PRIMUS

PWT-13

Table Size	1800 x 900 x 750 mm
ERU Size	1200 x 450 x 750 mm
Back Unit	1800 x 450 x 750 mm

Features

- Telescopic channel drawers
- Soft Close Hinge Shutters
- Centralized Locking
- Top Thickness: 45 mm Sandwich Top
- Side Top Thickness: 45 mm Sandwich Top
- Recessed Handles
- Plinth Adjusters



TASK LINE

PWT-11

Table Size 1	1800 x 750 x 750 mm
ERU Size 1	1200 x 450 x 750 mm
Table Size 2	1500 x 750 x 750 mm
ERU Size 2	1200 x 450 x 750 mm

Features

- Telescopic channel drawers
- Centralized Locking
- Top Thickness: 25 mm
- Side Top Thickness: 25 mm
- Recessed Handles
- Plinth Adjusters





TASK LINE STORAGE

PBU-01

Size: 2700(W) x 450(D) x 2100(H) mm



NEAT

PBU-02

Size: 2700(W) x 450(D) x 2100(H) mm



FREEDOM

PBU-03

Size: 2700(W) x 450(D) x 2100(H) mm



HARMONY

PBU-04

Size: 2700(W) x 450(D) x 2100(H) mm



FRAME

PFC-01

Size: 1350(W) x 450(D) x 2100(H) mm



ATTIRE

PFC-02

Size: 1800(W) x 450(D) x 2100(H) mm



URBAN

PFC-03

Size: 1200(W) x 450(D) x 2100(H) mm



TOWER

PFC-04

Size: 1350(W) x 450(D) x 2100(H) mm



EMPORIUM

PSC-01

Size: 1200(W) x 450(D) x 750(H) mm



RESERVE

PSC-02

Size: 1800(W) x 450(D) x 750(H) mm



PORTAL

PSC-03

Size: 1800(W) x 450(D) x 750(H) mm



CRYSTAL

PSC-04

Size: 1200(W) x 450(D) x 750(H) mm



Office Tables

"Promark Office Tables are thoughtfully designed to create an efficient, organized, and modern workspace. Built with high-quality materials and a sturdy structure, these tables offer durability along with a clean, professional look. With smart storage options and ergonomic design, Promark office tables support daily productivity while enhancing the overall office environment.



COAST

PWT-05

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 500 x 600 x 640 mm



AURA

PWT-06

Dimensions (L x D x H)

- Main Table: 1800 x 900 x 750 mm
1500 x 750 x 750 mm
- Pedestal: 400 x 450 x 714 mm



GLOW

PWT-01

Dimensions (L x D x H)

- Main Table: 1800 x 900 x 750 mm
1500 x 750 x 750 mm
- Pedestal: 400 x 450 x 500 mm



BLISS

PWT-55

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 500 mm



DREAM

PWT-07

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Single Drawer



GENERAL

PWT-04

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm



T-22

PST-22

Dimensions (L x D x H)

- Main Table: 1800 x 900 x 750 mm
1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 500 mm



T-23

PST-23

Dimensions (L x D x H)

- Main Table: 1800 x 900 x 750 mm
1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 500 mm



T-24

PST-24

Dimensions (L x D x H)

- Main Table: 1800 x 900 x 750 mm
1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 500 mm



T-25

PST-25

Dimensions (L x D x H)

- Main Table: 1800 x 900 x 750 mm
1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 500 mm



T-26

PST-26

Dimensions (L x D x H)

- Main Table: 1800 x 900 x 750 mm
1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 500 mm



T-27

PST-27

Dimensions (L x D x H)

- Main Table: 1800 x 900 x 750 mm
1500 x 750 x 750 mm
1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 500 mm

The background of the page is a photograph of a modern office environment. In the center, a white computer desk is shown with two monitors, two keyboards, and two mice. The desk has a white frame and a white top. Below the desk, there are several black storage compartments with horizontal slats. To the left, another similar desk is partially visible. To the right, a large potted plant with green leaves sits on the floor. In the foreground, the back of a grey office chair is visible. The floor is a light-colored carpet.

Computer Tables

Promark office computer tables are thoughtfully designed to meet the demands of modern workplaces. Built with high-quality materials and a strong, durable structure, these tables ensure long-lasting performance for daily office use. Their ergonomic design provides comfort during long working hours, while the sleek and contemporary look enhances the overall office interior. Ideal for corporate offices, workstations, and commercial spaces, Promark computer tables offer the perfect balance of functionality, style, and efficiency.



C-08

PCT-08

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm



C-09

PCT-09

Dimensions (L x D x H)

- Dimensions (L x D x H)
- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm



C-03

PCT-03

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm



C-29

PCT-29

Dimensions (L x D x H)

- Main Table: 1200 x 600 x 750 mm
900 x 600 x 750 mm



C-31

PCT-31

Dimensions (L x D x H)

- Main Table: 1200 x 600 x 750 mm
900 x 600 x 750 mm



C-30

PCT-30

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm



C-32

PCT-32

Dimensions (L x D x H)

- Main Table: 600 x 600 x 750 mm
750 x 750 x 750 mm



C-33

PCT-33

Dimensions (L x D x H)

- Main Table: 1800 x 750 x 750 mm
1500 x 750 x 750 mm



C-34

PCT-34

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm



C-35

PCT-35

Dimensions (L x D x H)

- Main Table: 1800 x 750 x 750 mm
1500 x 750 x 750 mm



C-36

PCT-36

Dimensions (L x D x H)

- Main Table: 1500 x 750 x 750 mm
1200 x 600 x 750 mm



C-37

PCT-37

Dimensions (L x D x H)

- Main Table: 750 x 600 x 750 mm
900 x 600 x 750 mm



Workstations

Promark workstations are thoughtfully designed to create efficient, organized, and comfortable work environments. With a perfect balance of functionality and aesthetics, each workstation offers ample workspace, smart storage solutions, and ergonomic design to enhance productivity. Built using high-quality materials and modern finishes, Promark workstations seamlessly fit into corporate offices, IT spaces, and modern work hubs, delivering durability, flexibility, and a professional look that supports today's dynamic work culture.

DUSK

PWS-22

Dimensions (L x D x H)

- Per seat Size: 1500/1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Cubical Workstation
- Aluminium Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- One drawer and one shutter pedestal
- MP Lock
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- Powder Coated aluminium partition
- Plinth Adjusters



QUILL

PWS-24

Dimensions (L x D x H)

- Per seat Size: 1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Aluminium Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- Top Thickness: 25 mm
- Gable Thickness: 18mm
- One drawer and one shutter pedestal
- Telescopic channels
- Stainless steel handles
- Powder coated aluminium partition
- Plinth Adjusters

QUEST

PWS-11

Dimensions (L x D x H)

- Per seat Size: 1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Aluminium Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- Plain Glass Thickness: 4 mm
- Top Thickness: 25 mm
- One drawer and one filing cabinet pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Powder coated aluminium partition
- Plinth Adjusters



HYDE

PWS-12

Dimensions (L x D x H)

- Per seat Size: 1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Aluminum Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- Three drawer pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Plinth Adjusters
- Pin Up Soft Board/RC White Marker Board Options
- Top Thickness: 25 mm
- Powder Coated MS Frame and aluminium partition



JORDAN

PWS-13

Dimensions (L x D x H)

- Per seat Size: 1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Three drawer pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- Lacquer Screen Partition Thickness: 8 mm
- Lacquer Screen Partition Height: 300 mm
- Top Thickness: 25 mm
- Powder Coated MS Frame and aluminium partition
- Plinth Adjusters

COLT

PWS-15

Dimensions (L x D x H)

- Per seat Size: 1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Aluminum Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- Three drawer pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- Powder Coated MS Frame and aluminium partition
- Frosted Glass Thickness: 4 mm
- Powder Coated MS Frame
- Plinth Adjusters



HEATH

PWS-17

Dimensions (L x D x H)

- Per seat Size: 1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Linear Workstation
- Aluminium Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- Pin Up Soft Board/White Marker Board Options
- Three drawer pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- Privacy Glass: 8 mm thickness
- Powder Coated aluminium partition
- Plinth Adjusters



REED

PWS-18

Dimensions (L x D x H)

- Per seat Size: 1500/1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- L Shaped Workstation
- Aluminium Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- Three drawer pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- KBPT and CPU Trolley
- Powder Coated aluminium partition
- Plinth Adjusters



SHELL

PWS-19

Dimensions (L x D x H)

- Per seat Size: 1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Aluminum Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- Three drawer pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- KBPT and CPU Trolley
- Powder Coated aluminium partition
- Plinth Adjusters



NOVA-W

PWS-20

Dimensions (L x D x H)

- Per seat Size: 900/1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Aluminum Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- One drawer and one filing cabinet pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- Powder Coated MS Frame and aluminium partition
- Plain Glass Thickness: 4 mm
- Powder Coated MS Frame
- Plinth Adjusters



NOVA-B

PWS-21

Dimensions (L x D x H)

- Per seat Size: 900/1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Aluminum Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1200 mm
- One drawer and one filing cabinet pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- Powder Coated MS Frame and aluminium partition
- Plain Glass Thickness: 4 mm
- Powder Coated MS Frame
- Plinth Adjusters



FALCON

PWS-23

Dimensions (L x D x H)

- Per seat Size: 1500/1200 x 600 x 750 mm
- Pedestal: 400 x 450 x 680 mm

Features

- Cubical Workstation
- Aluminium Partition Thickness: 45 mm/60 mm
- Aluminium Partition Height: 1800 mm
- Three drawer pedestal
- Centralized locking
- Telescopic channels
- Stainless steel handles
- Top Thickness: 25 mm
- Powder Coated aluminium partition
- Plinth Adjusters





Conference Tables

Promark Conference Furniture – Designed to bring sophistication and functionality to modern meeting spaces. Our conference tables feature a sleek, professional look with premium finishes and ample workspace for effective collaboration. Built with durable materials and ergonomic design, Promark's conference furniture ensures comfort during long discussions and presentations, making it an ideal choice for boardrooms, offices, and meeting halls.



SQUAD

PMT-54

Features

- Extendable as per seating requirement
- 25 mm/36 mm top thickness available
- MS powder coated raceway at each seat
- Pop up box available if required
- Plinth Adjusters

Dimensions (L x D x H)

Single Seat	750/900 x 600 x 750 mm
Double Seat	1200/1500 x 600 x 750 mm



CONICAL

PMT-55

Features

- Extendable as per seating requirement
- 25 mm/36 mm top thickness available
- MS powder coated raceway at each seat
- Pop up box available if required
- Plinth Adjusters

Dimensions (L x D x H)

- Single Seat - 900 x 600 x 750 mm



HUDDLE

PMT-56

Features

- Engineered wood structure
- Top Thickness 25 mm/36 mm
- Raceway
- Pop up box
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	4800 x 1200 x 750 mm
Size 2	3600 x 1200 x 750 mm
Size 3	3000 x 1200 x 750 mm
Size 4	2400 x 1200 x 750 mm



COLLAB

PMT-53

Features

- Engineered wood structure
- Top Thickness 25 mm/36 mm
- Raceway
- Pop up box
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	4800 x 1200 x 750 mm
Size 2	3600 x 1200 x 750 mm
Size 3	3000 x 1200 x 750 mm



CHAMBER

PMT-57

Features

- Engineered wood structure
- Top Thickness 25 mm/36 mm
- Box type gable ends
- Raceway
- Pop up box
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	4800 x 1200 x 750 mm
Size 2	3600 x 1200 x 750 mm
Size 3	3000 x 1200 x 750 mm
Size 4	2400 x 1200 x 750 mm



IVORY

PMT-63

Features

- Engineered wood top
- Top Thickness 25 mm/36 mm
- MS powder coated frame
- PVC Adjusters

Dimensions (L x D x H)

Size 1	3600 x 1200 x 750 mm
Size 2	3000 x 1200 x 750 mm
Size 3	2400 x 1200 x 750 mm
Size 4	2400 x 900 x 750 mm



COUNCIL

PMT-06

Features

- Engineered wood top
- Top Thickness 25 mm/36 mm
- MS powder coated frame
- PVC Adjusters

Dimensions (L x D x H)

Size 1	3600 x 1200 x 750 mm
Size 2	3000 x 1200 x 750 mm
Size 3	2400 x 1200 x 750 mm
Size 4	2400 x 900 x 750 mm
Size 5	1800 x 1200 x 750 mm
Size 6	1800 x 900 x 750 mm
Size 7	1500 x 750 x 750 mm



BREAKOUT

PMT-58

Features

- Engineered wood structure
- Top Thickness 25 mm/36 mm
- MS Powder Coated Frame
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	• Ø 1200 x 750 mm
Size 2	• Ø 900 x 750 mm



OVAL

PMT-59

Features

- Engineered wood structure
- Top Thickness 25 mm/36 mm
- Raceway
- Pop up box available if required
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	4800 x 1200 x 750 mm
Size 2	3600 x 1200 x 750 mm
Size 3	3000 x 1200 x 750 mm
Size 4	2400 x 1200 x 750 mm
Size 5	1800 x 1200 x 750 mm



OBLONG

PMT-64

Features

- Engineered wood top
- MS Reducing Leg
- Top Thickness 25 mm/36 mm
- MS powder coated frame
- PVC Adjusters

Dimensions (L x D x H)

Size 1	3600 x 1200 x 750 mm
Size 2	3000 x 1200 x 750 mm
Size 3	2400 x 1200 x 750 mm
Size 4	2400 x 900 x 750 mm



Reception Tables

The Promark Reception Table is a modern, elegantly designed workspace crafted from premium engineered wood. It features a sleek, minimalist look that enhances the aesthetic of any corporate or office environment. With a spacious countertop and practical design, it offers ample room for computers, documents, and decorative elements. The table's natural wood finish adds warmth and professionalism, making it ideal for welcoming guests and creating a lasting first impression.



GREET

PRT-01

Features

- Telescopic channel drawers
- Soft close hinge shutters
- MP Lock
- MDF PU polished counter
- Top Thickness: 25 mm
- Counter Top Thickness: 25 mm
- Stainless steel handle
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	2100 x 750 x 750/1050/1200 mm
Size 2	2400 x 750 x 750/1050/1200 mm



WELCOME

PRT-02

Features

- Three drawer pedestal
- Centralized locking
- Three drawer and shutter side unit
- Telescopic channels
- Soft close hinges
- Top Thickness: 25 mm
- Counter Top Thickness: 25 mm
- Stainless steel handles
- Plinth Adjusters

Dimensions (L x D x H)

Overall size	3000 x 1800 x 750/1050 mm
Side Unit	1200 x 450 x 750 mm
Pedestal	400 x 450 x 680 mm
Counter Length	1800/1800 mm



EMBRACE

PRT-07

Features

- One drawer and one shutter pedestal
- Telescopic channel drawers
- Soft close hinge shutters
- MP Lock
- Top Thickness: 25 mm
- Counter Top Thickness: 25 mm
- Stainless Steel Handles
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	3000 x 1800 x 750/1050 mm
Size 2	1200 x 450 x 750 mm
Size 3	400 x 450 x 680 mm
Size 4	1800/1800 mm



HAIL

PRT-03

Features

- Telescopic channel drawers
- Soft close hinge shutter
- MP Lock
- KBPT and CPU Trolley
- Top Thickness: 25 mm
- Counter Top Thickness: 25 mm
- Stainless steel handle
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	1500 x 600 x 750/1050 mm
Size 2	1500 x 750 x 750/1050 mm
Size 3	1800 x 600 x 750/1050 mm
Size 4	1800 x 750 x 750/1050 mm



HOST

PRT-05

Features

- Three drawer hanging pedestal
- Telescopic channel drawers
- Centralized Locking
- Top Thickness: 25 mm
- Counter Top Thickness: 25 mm
- Stainless steel handles
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	1200 x 600 x 750/1050 mm
Size 2	1200 x 750 x 750/1050 mm
Size 3	1500 x 600 x 750/1050 mm
Size 4	1500 x 750 x 750/1050 mm



KEEPER

PRT-06

Features

- One drawer and one shutter hanging pedestal
- Telescopic channel drawers
- Centralized Locking
- Top Thickness: 25 mm
- Counter Top Thickness: 25 mm
- Stainless steel handles
- Plinth Adjusters

Dimensions (L x D x H)

Size 1	1800 x 600 x 750/1050 mm
Size 2	1800 x 750 x 750/1050 mm
Size 3	2400 x 600 x 750/1050 mm
Size 4	2400 x 750 x 750/1050 mm



Cushion Chairs

Promark Cushion Chairs are designed to deliver the perfect blend of comfort, support, and elegance. With ergonomically contoured cushioning and a soft, supportive backrest, these chairs ensure long-lasting comfort during extended working hours. Crafted with premium upholstery and a sturdy base, Promark cushion chairs add a touch of sophistication to director rooms, conference spaces, and modern offices. More than just seating, they enhance both productivity and the overall aesthetics of your workspace.



TUSK HB

PEC-01 H



TUSK MB

PEC-01 M



ONYX HB

PEC-03 H



ONYX MB

PEC-03 M



EBONY HB

PEC-02 H



EBONY MB

PEC-02 M



BRONZE HB

PEC-04 H



BRONZE MB

PEC-04 M



BRONZE V

PEC-04 V



PEARL HB

PEC-05 H



PEARL MB

PEC-05 M



PEARL V

PEC-05 V



UMBER HB

PEC-06 H



UMBER MB

PEC-06 M



UMBER V

PEC-06 V



RAVEN HB

PRC-012 H



RAVEN MB

PRC-012 M



RAVEN V

PVC-050



CARBON HB

PRC-017



CARBON MB

PRC-018



CARBON V

PVC-019



COBALT HB

PRC-055



COBALT MB

PRC-056



COBALT V

PVC-024



RUBY
PRC-001



SAPPHIRE
PRC-002



ROYAL
PRC-003



CRIMSON
PRC-057



CHERRY
PRC-058



PRISTINE
PRC-059



NIMBUS HB
PRC-09



NIMBUS MB
PRC-060



KEPLER
PRC-061



CLARET
PVC-024



MIDNIGHT
PVC-060



VELVET
PVC-025



VAST
PVC-07



PRIME
PVC-022



SEAL
PVC-073



REGENCY
PVC-04



COMET
PVC-08



AMBER
PVC-020



SHADOW
PVC-05



JET
PVC-023



ASH
PVC-026



Mesh Chairs

Promark Mesh Chairs are thoughtfully designed to deliver superior comfort, ergonomic support, and modern aesthetics for today's dynamic workspaces. Featuring a breathable mesh back, these chairs promote continuous airflow to keep users cool and comfortable throughout long working hours. The contoured backrest provides excellent lumbar support, encouraging healthy posture and reducing fatigue. With smooth mobility, adjustable features, and a sturdy base, Promark mesh chairs seamlessly combine functionality with style—making them an ideal choice for executive cabins, workstations, and collaborative office environments.



VIPER HB

PMC-01 H



VIPER MB

PMC-01 M



VIPER V

PMC-01 V



CORAL HB

PMC-04 H



CORAL MB

PMC-04 M



CORAL V

PMC-04 V



WANTA HB

PMC-06 H



WANTA MB

PMC-06 M



WANTA MB

PMC-06 M



TORUS HB

PMC-05 H



TORUS MB

PMC-05 M



ROCK

PMC-09



KURO HB

PMC-010



KURO MB

PMC-011



NETIX

PMC-012



FLEX

PMC-013



WEB

PMC-014



BOLT

PMC-015



Wooden Chairs

Promark Wooden Chairs are crafted to bring warmth, strength, and timeless elegance into modern workspaces. Made from high-quality wood with a refined finish, these chairs combine durability with superior comfort. Their ergonomic design ensures proper posture support, making them ideal for long working hours in offices, conference rooms, and executive cabins. With a perfect balance of classic aesthetics and contemporary functionality, Promark wooden chairs enhance the overall ambience of any professional environment while reflecting quality and sophistication.



ROYAL

PMC-07



ELITE

PWC-02



POISE

PWC-03



MONARCH

PWC-04



FLAIR

PWC-05



STYLE

PMC-010



CHARM

PMC-011



LAVISH

PMC-012



POSH

PMC-010



ELIGANT

PMC-011



PLUSH

PMC-012



SMART

PTC-01



BRIGHT

PTC-02



TALENT

PTC-03



GENIUS

PTC-04



THINK

PTC-05



SCHOLAR

PTC-06



ACUTE

PTC-07



SAVVY

PTC-08



SHARP

PTC-09



SOFAS

Promark Office Sofa is designed to elevate modern office spaces with a perfect balance of comfort, durability, and contemporary style. Ideal for reception areas, waiting lounges, and executive cabins, it features premium upholstery, high-density cushioning, and a sturdy build suitable for everyday office use. Its clean lines and elegant design create a professional yet welcoming atmosphere, making it a smart seating solution for corporate environments.



SILVER 1S

PSS-25



SILVER 2S

PSS-26



SILVER 3S

PSS-27



ROSE 1S

PSS-19



ROSE 2S

PSS-20



ROSE 3S

PSS-21



VENTO 1S

PSS-22



VENTO 2S

PSS-23



VENTO 3S

PSS-24



JAMES 1S

PSS-28



JAMES 2S

PSS-29



JAMES 3S

PSS-30



JACK 1S

PSS-01



JACK 2S

PSS-02



JACK 3S

PSS-03



CHAISE 1S

PSS-13



CHAISE 2S

PSS-14



CHAISE 3S

PSS-15



LORD 1S

PSS-07



LORD 2S

PSS-08



LORD 3S

PSS-09



CLOUD 1S

PSS-16



CLOUD 2S

PSS-17



CLOUD 3S

PSS-18



CENTER TABLES

Promark Office Sofa is designed to elevate modern office spaces with a perfect balance of comfort, durability, and contemporary style. Ideal for reception areas, waiting lounges, and executive cabins, it features premium upholstery, high-density cushioning, and a sturdy build suitable for everyday office use. Its clean lines and elegant design create a professional yet welcoming atmosphere, making it a smart seating solution for corporate environments.

METALLIC

PSS-37

Dimensions (L x D x H)

- 1200 x 600 x 450 mm
- 600 x 600 x 450 mm
- 450 x 450 x 450 mm (corner table)

Features

- Made in SS finish
- Rubberwood Top - 25 mm
- Melamine Polished



BREW

PSS-38

Dimensions (L x D x H)

- 1200 x 600 x 450 mm
- 600 x 600 x 450 mm
- 450 x 450 x 450 mm (corner table)

Features

- Made in Premium Sagwan Wood
- Seasoned Wood
- Melamine Polished

CINNAMON

PSS-39

Dimensions (L x D x H)

- 1200 x 600 x 450 mm
- 600 x 600 x 450 mm
- 450 x 450 x 450 mm (corner table)

Features

- Made in Premium Sagwan Wood
- Seasoned Wood
- Melamine Polished



ENERGY

PSS-40

Dimensions (L x D x H)

- 1200 x 600 x 450 mm
- 600 x 600 x 450 mm
- 450 x 450 x 450 mm (corner table)

Features

- Made in Premium Sagwan Wood
- Seasoned Wood
- Melamine Polished



PUBLIC SEATING CHAIRS

Promark Office Sofa is designed to elevate modern office spaces with a perfect balance of comfort, durability, and contemporary style. Ideal for reception areas, waiting lounges, and executive cabins, it features premium upholstery, high-density cushioning, and a sturdy build suitable for everyday office use. Its clean lines and elegant design create a professional yet welcoming atmosphere, making it a smart seating solution for corporate environments.

Available in:

- MS Powder Coated
- SS 202
- SS 304



SNOOZE 1S

PEC-01 H

Available in:

- MS Powder Coated
- SS 202
- SS 304



SNOOZE 2S

PEC-01 M

Available in:

- MS Powder Coated
- SS 202
- SS 304



PAUSE

PPS-03

Available in:

- MS Powder Coated
- SS 202
- SS 304



REST

PPS-04



BREAK

PPS-05



BRACE

PPS-07



PLANK

PPS-08



LEISURE

PPS-09



METAL FURNITURE

Promark Metal Furniture offers dependable and practical storage solutions tailored for today's office spaces. Manufactured using premium-quality metal, it is designed for strength, stability, and consistent performance under daily use. These units allow for organized storage of files, records, and essential office materials, helping maintain a clutter-free work environment. The clean finish and compact design ensure efficient use of space while complementing a professional office setup. Suitable for corporate workplaces, institutions, and commercial offices, Promark metal furniture delivers durability with functional design.



METAL DOOR HOME ALMIRAH

PSA-75

Product Features

-  Lockable Locker
-  Lockable Drawer
-  Hanging Rod
-  Shoe Drawer
-  MS CRCA Powder Coated

Dimensions	(W X D X H)
Overall Size	915 x 485 x 1980 mm



SLIDING GLASSDOOR ALMIRAH

PSA-10

Size: 915(W) x 485(D) x 1980(H) mm



PLAIN ALMIRAH

PSA-65

Size: 915(W) x 485(D) x 1980(H) mm



4 DOOR BOOKCASE

PSA-66

Size: 910(W) x 320(D) x 1740(H) mm



ALMIRAH WITH LOCKER

PSA-67

Size: 915(W) x 485(D) x 1980(H) mm



GLASSDOOR ALMIRAH

PSA-68

Size: 915(W) x 485(D) x 1980(H) mm



SINGLE SIDE BOOK RACK

PSA-69

Size: 1800(W) x 315(D) x 2400(H) mm



MPeriodical DISPLAY RACK

PSA-70

Size: 900(W) x 450(D) x 1830(H) mm



MINOR ALMIRAH

PSA-71

Size: 915(W) x 430(D) x 1220(H) mm



OPEN SHELVES

PSA-73

Size: 915(W) x 400(D) x 1830(H) mm



SLOTTED ANGLE RACK - 2 SHELVES

PSR-001

Size: 900(W) x 400(D) x 750(H) mm



SLOTTED ANGLE RACK - 4 SHELVES

PSR-002

Size: 900(W) x 400(D) x 1875(H) mm



SLOTTED ANGLE RACK - 6 SHELVES

PSR-003

Size: 900(W) x 400(D) x 2175(H) mm



VERTICAL FILING CABINET - 2 DRAWER

PFD-002

Size: 470(W) x 620(D) x 710(H) mm



VERTICAL FILING CABINET - 3 DRAWER

PFD-003

Size: 900(W) x 400(D) x 1040(H) mm



VERTICAL FILING CABINET - 4 DRAWER

PFD-004

Size: 900(W) x 400(D) x 1320(H) mm



PLU - 6 DOOR

PSL-06

Size: 760(W) x 450(D) x 1500(H) mm



PLU - 8 DOOR

PSL-08

Size: 760(W) x 450(D) x 1830(H) mm



PLU - 12 DOOR

PSL-012

Size: 1100(W) x 450(D) x 1830(H) mm



Promark Mobile Compactor System is a high-density storage solution designed to maximize floor space and enhance organization. Built with sturdy steel construction and smooth sliding mechanisms, it allows easy movement of storage units on tracks, providing greater capacity in limited areas. Ideal for offices, archives, warehouses, and institutions, Promark Mobile Compactors ensure secure, efficient, and space-saving storage with options for manual or mechanical operation and central locking for added safety.

Features

- MS CRCA Structure
- Heavy duty channel for mobility
- Five compartments in each body
- Abundant storage space
- Drive Wheel Mechanism for easy operation
- Extendable as per requirement
- Lockable
- Powder Coated

Dimensions			(W x D x H) Excluding Channel Height
PMCS-01	One Bay	Single Fixed Body	915 x 457 x 1980 mm
		Double Movable Body	915 x 915 x 1980 mm
		Single Movable Body	915 x 457 x 1980 mm
PMCS-02	Two Bay	Single Fixed Body	1830 x 457 x 1980 mm
		Double Movable Body	1830 x 915 x 1980 mm
		Single Movable Body	1830 x 457 x 1980 mm
PMCS-03	Three Bay	Single Fixed Body	2745 x 457 x 1980 mm
		Double Movable Body	2745 x 915 x 1980 mm
		Single Movable Body	2745 x 457 x 1980 mm

DESKING

Promark Desking Solutions are designed to deliver comfort, durability, and efficient space utilization for educational institutions, offices, and training centers. Built with high-quality materials and ergonomic design, Promark desks ensure long-lasting performance and user comfort. Our range includes student desks, teacher tables, workstations, and customized desking solutions that support organized, productive, and modern learning and working environments.




EXCELLENT

PCD-03

Dimensions	(W X D X H)
2 Seater	1050/1200 x 930 x 750 mm
3 Seater	1500 x 930 x 750 mm

Features



Embossed & perforated modesty



Powder Coated MS Frame



Bag/Bottle Hanging Hook



MS CRCA bookshelf



MS CRCA Press Formed Section



CONQUER

PCD-32



PVC Keyboard Tray



CPU/UPS Cabinet/Wire Management System



HDPE Blow Moulded Chair

Dimensions	Top Size (W X D X H)
1 Seater	600 x 600 x 750 mm

CREATE

PCD-33



Metal CPU Trolley/PVC KBPT



MS CRCA Perforated Modesty



HDPE Blow Moulded Chair

Dimensions	Top Size (W X D X H)
1 Seater	600 x 600 x 750 mm



INSPIRE

PCD-34



HDPE Blow Moulded Chair



MS CRCA Perforated Modesty



Wire Mesh Bookshelf

Dimensions	Top Size (W X D X H)
1 Seater	600 x 600 x 750 mm





EXPERT 1S

PCD-16

-  Injection moulded top
-  Wire mesh bookshelf
-  HDPE Blow Moulded Chair
-  Pencil Holder

Dimensions	
Desk Size (W X D X H)	600 x 400 x 750 mm
Seat Size (W X D X H)	380 x 400 x 460 mm
Back Size (W X H)	420 x 230 mm

EXPERT 2S

PCD-17

-  Injection moulded top
-  Wire mesh bookshelf
-  HDPE Blow Moulded Chair
-  Pencil Holder

Dimensions	
Desk Size (W X D X H)	1100 x 400 x 750 mm
Seat Size (W X D X H)	380 x 400 x 460 mm
Back Size (W X H)	420 x 230 mm





BUDDY 1S

PCD-18

-  Injection moulded top
-  Wire mesh bookshelf
-  HDPE Blow Moulded Chair
-  Pencil Holder

Dimensions	
Desk Size (W X D X H)	600 x 400 x 750 mm
Seat Size (W X D X H)	380 x 400 x 460 mm
Back Size (W X H)	420 x 230 mm

BUDDY 2S

PCD-19

-  Pre Laminated Top
-  Wire mesh bookshelf
-  HDPE Blow Moulded Chair
-  Pencil Holder

Dimensions	
Desk Size (W X D X H)	900/1050/1200 x 400 x 750 mm
Seat Size (W X D X H)	380 x 400 x 460 mm
Back Size (W X H)	420 x 230 mm





TOGETHER

PCD-21

Product Features

-  Pre Laminated Top/PF Top/ Rubberwood Top
-  Wire mesh bookshelf
-  Bag/Bottle Hook
-  Plastic Shell Chair

Dimensions	
Desk Size (W X D X H)	1200 x 400 x 720 mm
Chair Size (W X D X H)	455 x 560 x 835 mm

MORAL

PCD-22

Product Features

-  Pre Laminated Planks/PF Top/ Rubberwood Top
-  Wire mesh bookshelf
-  MS Elliptical Pipe Powder Coated Frame
-  Bag/Bottle Hanging Hook

Dimensions	(W X D X H)
2 Seater	1050 x 920 x 750
	1200 x 920 x 750





FELLOW

PCD-23



Embossed & perforated modesty



Bag/Bottle Hanging Hook



Perforated Side Section



Pre Laminated Planks/PF Top

Dimensions	Desk (W X D X H)
2 Seater	1050/1200 x 930 x 750 mm
3 Seater	1500 x 930 x 750 mm

MATE

PCD-24



Embossed & perforated modesty



Seperate Desk & Bench



MS CRCA Press Formed Section



Pre Laminated Planks/PF Top

Dimensions	2 Seater
Desk (W X D X H)	1050 x 400 x 750 mm
Bench (W X D X H)	1050 x 350 x 840 mm





MENTOR 2S

PCD-25



MS CRCA bookshelf



Bag/Bottle Hanging Hook



Powder Coated Frame



Pre Laminated Planks

Dimensions	(W X D X H)
2 Seater	900 x 895 x 750 mm
	1050 x 895 x 750 mm

MENTOR 3S

PCD-26



MS CRCA bookshelf



Bag/Bottle Hanging Hook



Powder Coated Frame



Pre Laminated Planks

Dimensions	(W X D X H)
3 Seater	1500 x 895 x 750 mm





GUIDE

PCD-27



Pre Laminated bookshelf



Bag/Bottle Hanging Hook



MS Round Pipe Powder Coated Frame



Pre Laminated Planks

Dimensions	(W X D X H)
1 Seater	600 x 920 x 750 mm
2 Seater	1200 x 920 x 750 mm
3 Seater	1500 x 920 x 750 mm

CULTURE

PCD-12



Pre Laminated bookshelf



PVC Leveller



Powder Coated Frame



Pre Laminated Planks

Dimensions	(W X D X H)
1 Seater	600 x 920 x 750 mm
2 Seater	1200 x 920 x 750 mm
3 Seater	1500 x 920 x 750 mm





Promark Lecture Hall Seating System is designed for modern classrooms, auditoriums, and training spaces. It features ergonomically designed seats, durable writing desks, and a compact structure that ensures comfort, functionality, and long-lasting performance.

SYNDICATE

PMLHS-01



Dimensions	• Desk top width: 450 mm • Desk hieght: 800 mm
Seat dimensions	• Seat width: 450 mm • Seat depth: 490 mm • Seat height: 450 mm
Back dimensions	• Back width: 450 mm • Back height: 430 mm

Features



Cushioned Seat



In built Sockets



Auto Tip Up Seat



Powder Coated
MS Frame

UNION

PMLHS-02



Dimensions	Desk (W X D X H)	Seat (W X D X H)
2 Seater	1050 x 400 x 750 mm	420 x 460 x 450 mm
3 Seater	1530 x 400 x 750 mm	420 x 460 x 450 mm
4 Seater	2010 x 400 x 750 mm	420 x 460 x 450 mm

Features



Cushioned Seat



In built Sockets



Auto Tip up Seat



Powder Coated
MS Frame


ALLIANCE

PMLHS-03



Dimensions	Desk (W X D X H)	Seat (W X D X H)
2 Seater	1050 x 400 x 750 mm	440 x 480 x 450 mm
3 Seater	1530 x 400 x 750 mm	440 x 480 x 450 mm
4 Seater	2050 x 400 x 750mm	440 x 480 x 450 mm

Features




Cushioned Seat



In built Sockets



Auto Tip up Seat



Powder Coated
MS Frame

PEERS

PMLHS-04



A modern, space-efficient lecture hall desk designed for durability and comfort. Featuring a sturdy metal frame with a sleek perforated modesty panel and an ergonomically contoured dual-seat design, it ensures long-lasting performance and an organized classroom setup. The laminated tabletop offers a smooth writing surface, making it ideal for auditoriums, classrooms, and training institutes.

Dimensions	Desk (W X D X H)
2 Seater	1200 x 400 x 750 mm

Features



Rotatable Seats



Prelaminated Top



Slotted designed
CRCA modesty



Powder Coated
MS Frame

PAL

PMLHS-05



Promark Dual Seating Training Desk is a modern and practical solution designed for classrooms, seminars, and training centers. It features a sturdy metal frame with smooth-rolling wheels for easy mobility, a spacious laminated tabletop for comfortable learning, and ergonomically contoured dual seats for enhanced support. The sleek design ensures durability, functionality, and a professional look suitable for any educational environment.

Dimensions	Desk (W X D X H)	Seat (W X D X H)
2 Seater	1200 x 600 x 740 mm	450 x 470 x 450 mm

Features



Rotatable Seat




Foldable Top



Castor Wheels



Powder Coated
MS Frame



ADVANCE PMLHS-06

Features

Dimensions	Desk (W X D X H)	Seat (W X D X H)
2 Seater	1050 x 400 x 750 mm	440 x 400 x 450 mm
3 Seater	1530 x 400 x 750 mm	440 x 400 x 450 mm
4 Seater	2050 x 400 x 750mm	440 x 400 x 450 mm



Foldable Top



AutoTip up Seat



Powder Coated
MS Frame



BOND PMLHS-07

Features

Dimensions	Desk (W X D X H)
2 Seater	1055 x 400 x 750 mm



Book Storage
Rack



AutoTip up Seat



Powder Coated
MS Frame



CIRCLE

PMLHS-08

Dimensions	Desk (W X D X H)	Bench (W X D X H)
2 Seater	1050 x 400 x 750 mm	1050 x 300 x 450 mm
3 Seater	1500 x 400 x 750 mm	1500 x 300 x 450 mm
4 Seater	2050 x 400 x 750mm	2050 x 300 x 450 mm

Features



Book Storage
Rack



Powder Coated
MS Frame



Rubberwood
Top



HUMBLE

PMLHS-09

Module	Dimensions (W X D X H)
Front Module	1200 x 400 x 800 mm
Middle Module	1200 x 750 x 800 mm
Last Module	1200 x 350 x 810 mm

Features



Book Storage
Rack



Powder Coated
MS Frame



Pre Laminated
Planks



WOODEN LECTURE STAND

The Promark Wooden Lecture Stand is an elegant and functional podium designed for classrooms, auditoriums, conference halls, and seminar spaces. Crafted from high-quality engineered wood, it offers a premium finish with excellent durability. The sleek vertical panel design gives it a modern look, while the spacious top platform provides ample space for laptops, notes, and microphones.



HONOR
PWP-24



ACCOLADE
PWP-25



IMPERIAL
PWP-26



SPEECH
PWP-05



ORATOR
PWP-19



TALK
PWP-20



MOTIVE
PWP-21



DRIVE
PWP-22



VOCAL
PWP-23



LIBRARY FURNITURE

Promark Library Furniture is designed for modern learning spaces, combining style with functionality. Crafted from high-quality engineered wood for durability and easy maintenance. Its ergonomic design ensures comfort and focus for readers and students. Perfect for libraries, study areas, and educational institutions.



QUIET

PLF-01

Dimensions (L x D x H)

- Size per seat: 750 x 600 x 750/1200 mm
900 x 600 x 750/1200 mm
1200 x 600 x 750/1200 mm

Features

- Engineered Wood Structure
- Top Thickness: 25 mm
- KBPT and CPU Trolley available if required
- Plinth Adjusters

QUICK

PLF-02

Dimensions (L x D x H)

- Size per seat: 750 x 600 x 750/1200 mm
900 x 600 x 750/1200 mm
1200 x 600 x 750/1200 mm

Features

- Engineered Wood Structure
- Top Thickness: 25 mm
- KBPT and CPU Trolley available if required
- Plinth Adjusters



MASTER

PLF-07

Dimensions (L x D x H)

- Size per seat: 750 x 600 x 750/1200 mm
900 x 600 x 750/1200 mm
1200 x 600 x 750/1200 mm

Features

- Engineered Wood Structure
- MS Powder Coated Frame
- Top Thickness: 25 mm
- 18mm thick partition
- PVC Adjusters



OASIS

PLF-06

Size: 1800(W) x 1200(D) x 750/1050(H) mm



ZEN

PLF-05

Size: 1500(W) x 1200(D) x 1050(H) mm



SERENE

PLF-03

Size: 2100(W) x 1200(D) x 1200(H) mm



SOLITUDE

PLF-04

Size: 2400(W) x 1200(D) x 1050(H) mm



TABLOID

PLF-14

Size: 900(L) x 600(W) x 1500(H) mm



RAG

PLF-17

Size: 900(L) x 600(W) x 1500(H) mm



TITLE

PLF-11

Size: 1000(W) x 400(D) x 2000(H) mm



COLUMN

PLF-12

Size: 1000(W) x 150(D) x 2000(H) mm



SCROLL

PLF-18


Size: 1800(W) x 400(D) x 2100(H) mm



PERIODICAL

PLF-19

Size: 900(W) x 4500(D) x 1830(H) mm




TREASURE

PLF-20

Size Both Side: 1200(L) x 600(D) x 2100(H) mm

Size Single Side: 1200(L) x 300(D) x 2100(H) mm



FORTUNE

PLF-21

Size Both Side: 900(L) x 600(D) x 2100(H) mm

Size Single Side: 900(L) x 300(D) x 2100(H) mm



HOSTEL BED

Promark hostel beds are designed keeping everyday hostel life in mind. Made with a strong metal structure, these beds offer excellent stability and long-term durability even under regular use. The smart bunk design helps save floor space while maintaining comfort and safety for users. Smooth finishing, sturdy ladders, and well-balanced framing ensure a secure and comfortable experience. Ideal for hostels, PGs, and institutional accommodations, Promark hostel beds deliver a perfect mix of strength, functionality, and practical comfort.



IMPERIAL

PHB-01



Engineered Wood Structure




MS Powder Coated Frame



Comfortable Headrest

Dimensions	(L X W X H)
Single Bed	1875 x 950 x 650 mm



COZY

PHB-02



MS powder coated frame



Ply Mattress Panel



Easy maintenance

Dimensions	(L X W X H)
Single Bed	1915 x 950 x 600 mm

EASE

PHB-06



MS powder coated frame



MS CRCA Sheet Mattress Panel



Metal Storage Box

Dimensions	(L X W X H)
Single Bed	1915 x 900 x 650 mm



COMFY

PHB-07



MS powder coated frame



Engineered Wood Headrest



Easy maintenance

Dimensions	(L X W X H)
Single Bed	1905 x 915 x 650





SPACIOUS

PHB-08



MS powder coated frame



Metal Designed Headboard



Easy maintenance

Dimensions	(L X W X H)
Single Bed	1905 x 915 x 900 mm

DIVINE

PHB-09



MS powder coated frame



Engineered Wood Shelf



Easy maintenance

Dimensions	(L X W X H)
Single Bed	2030 x 810 x 1000 mm



REGAL

PHB-10



MS powder coated frame



Metal Designed Headboard and Legboard



Easy maintenance

Dimensions	(L X W X H)
Single Bed	1905 x 965 x 900 mm





CLONE

PHB-11



MS powder coated frame



Safety guardrails



Easy maintenance

Dimensions	(L X W X H)
Bunk Bed	1950 x 970 x 1650 mm

DUO

PHB-12



MS powder coated frame



Storage



Easy maintenance

Dimensions	(L X W X H)
Bunk Bed	1980 x 955 x 1830 mm



LOYAL

PHB-13



MS powder coated frame



Safety Guardrails



Easy maintenance

Dimensions	(L X W X H)
Bunk Bed	1910 x 950 x 1755 mm





Promark study tables are designed to create a comfortable and focused workspace for learning and daily tasks. Built with sturdy construction and a clean, functional design, they offer excellent stability and long-lasting performance. The spacious tabletop provides ample room for books, laptops, and study materials, while the well-planned structure supports an organized and clutter-free setup. With a modern finish that complements various interiors, Promark study tables are ideal for homes, libraries, and educational spaces, promoting productivity, comfort, and efficient use of space.



Adjustable Top

FOCUS

PHT-01



Shelf Storage



Multicolor Engineered Wood Design



Drawer and Shutter Storage

Dimensions	(W X D X H)
Overall size	1200 x 600 x 750/1800 mm



ANCHOR

PHT-02



Engineered Wood Structure



Shelf above top



Drawer and Shutter Storage

Dimensions	(W X D X H)
Overall Size	1200 x 600 x 750/1050 mm

INSPECT

PHT-03



MS Powder Coated Frame



Metal Drawer



Engineered Wood Top and Overhead

Dimensions	(W X D X H)
Overall Size	1200 x 600 x 750/1500 mm



NUCLEUS

PHT-04



Pedestal Storage



Power Socket



Notice Board and White board

Dimensions	(W X D X H)
Overall Size	1200 x 600 x 750/1800 mm





AIM

PHT-05



MS Powder Coated Frame



Metal Single Drawer



Engineered Wood Top

Dimensions	(W X D X H)
Overall Size	900 x 600 x 750 mm

OBSERVE

PHT-06



Engineered Wood Structure



MS Powder Coated Frame



KBPT

Dimensions	(W X D X H)
Overall Size	900 x 600 x 750 mm



Study Chairs



VIVID W/O ARM

PHC-01



VIVID W ARM

PHC-02



VIVID W ARM

JOY



VIVID W ARM

TREAT



STORAGES

Promark storage solutions are crafted to provide smart organization and a refined look for professional work environments. Designed with a focus on strength and practicality, these units ensure systematic storage of files, records, and office essentials. The thoughtful mix of open shelving and enclosed cabinets allows quick accessibility while maintaining a neat, orderly appearance. Finished with a modern design language, Promark storages integrate effortlessly into office interiors, adding both utility and visual balance. They are an ideal choice for workplaces that value efficiency, durability, and a well-organized setup.



WOODEN STORAGE WITH SHOE RACK

PHC-11

Size: 900(W) x 400(D) x 1800(H) mm



COMBI ALMIRAH WITH GLASSDOOR

PWA-05

Size: 900(W) x 400(D) x 1800(H) mm



COMBI ALMIRAH WITH OPEN SHELF

PWA-04

Size: 900(W) x 400(D) x 1800(H) mm



HOSTEL PLAIN ALMIRAH

PSA-64

Size: 500(W) x 400(D) x 1800(H) mm



WOODEN ALMIRAH WITH LOCKER

PHC-12

Size: 915(W) x 450(D) x 1800(H) mm



COMPACT ALMIRAH WITH LOCKER

PHC-13

Size: 600(W) x 450(D) x 1800(H) mm



CREDENZA-08

PWA-08

Size: 750(W) x 400(D) x 900(H) mm



CREDENZA-09

PWA-09

Size: 900(W) x 400(D) x 1200(H) mm



CREDENZA-10

PWA-10

Size: 900(W) x 400(D) x 1800(H) mm



LAB TABLES

Promark Lab Furniture is designed to deliver durability, safety, and functionality in every laboratory environment. Built from high-quality, chemical-resistant materials, it ensures long-lasting performance even in demanding conditions. Its modular design provides flexibility to customize layouts as per specific lab requirements, making it ideal for schools, colleges, and research institutions.



PLB-05



PP Sink with Faucet



Reagent Rack with Power Socket



Drawer and Shutter Storage



MS Powder Coated Frame

Dimensions	(W X D X H)
Overall Size	2400 x 1500 x 900 mm



PLB-01



Reagent Rack with Power Socket



Drawer and Shutter Storage



MS Powder Coated Frame

Dimensions	(W X D X H)
Overall Size	1200 x 1200 x 900 mm

PLB-02



PP Sink with Faucet



Reagent Rack with Power Socket



MS Powder Coated Frame

Dimensions	Desk (W X D X H)
Overall Size	1800 x 1500 x 900 mm



PLB-03



Reagent Rack with Power Socket



Drawer and Shutter Storage



MS Powder Coated Frame

Dimensions	(W X D X H)
Overall Size	4800 x 1500 x 900 mm



PLB-04



PP Sink with Faucet



Reagent Rack



MS Powder Coated Frame

Dimensions	(W X D X H)
Overall Size	2400 x 1500 x 900 mm

PLB-06



Metal Raceway with Power Socket



Drawer and Shutter Storage



MS Powder Coated Frame

Dimensions	(W X D X H)
Overall Size	1800 x 1500 x 900 mm



PLB-07



Reagent Rack with Power Socket



Drawer and Shutter Storage



MS Powder Coated Frame

Dimensions	(W X D X H)
Overall Size	2400 x 1500 x 900 mm



PLB-08



Peg Board



PP Sink with Faucet



MS Powder Coated Frame

Dimensions	(W X D X H)
Overall Size	2100 x 1500 x 900 mm



PLB-09



Peg Board



Drawer and Shutter Storage



MS Powder Coated Frame

Dimensions	(W X D X H)
Overall Size	2400 x 1500 x 900 mm



PLB-10



PP Sink with Faucet



MS CRCA Perforated Modesty



MS and Engineered Wood Structure

Dimensions	(W X D X H)
Overall Size	2400 x 1500 x 900 mm





PLS-01



PLS-02



PLS-03



PLS-04



PLS-05



PLS-06



PLS-07



PLS-08



PLS-09



CAFETERIA

Promark Cafeteria Furniture is designed to combine functionality, comfort, and durability — ideal for schools, offices, institutions, and commercial dining areas. Each table and bench is crafted with powder-coated steel frames for long-lasting strength and laminated tops that are easy to clean and maintain. The sleek, space-efficient design ensures maximum seating capacity while maintaining a modern and organized look.



DEUTE 6S

PHT-05



DEUTE 8S

PDT-02



REFRESH

PDT-04



NOURISH

PDT-03



PARLEY

PHT-05



FEAST

PDT-06



VOILET

PDC-01



SLATE

PDC-02



CHEER

PDC-03



SAGUN

PDC-04



GRUB

PDC-05



LUPINE

PDC-06



NEPTUNE

PDC-07



TRIO

PDC-08



GRACE

PDC-09

AUDITORIUM CHAIRS

Promark Auditorium Chairs are designed to deliver superior comfort, durability, and style. With ergonomic seating, premium upholstery, and a sturdy metal frame, they ensure long hours of comfortable sitting. Ideal for auditoriums, lecture halls, and theatres, these chairs combine modern aesthetics with long-lasting performance.



STAR

PAC-01
Push Back Manual Tip Up



MOON

PAC-02
Push Back Auto Tip Up With Writing Pad



PULTO

PAC-04
Push back with sliding seat



GALAXY

PAC-03
Fix back With Auto Tip Up



MERCURY

PAC-05
Flexi back With Auto Tip Up



ASTEROID

PAC-06
Fixed Chair



Bright, colorful, and designed for fun learning spaces — this kids’ furniture set features modular tables and chairs in vibrant red, yellow, and blue tones. The lightweight yet sturdy plastic construction ensures durability and easy maintenance. The interlocking pentagon-shaped tables can be arranged in multiple combinations, encouraging teamwork and creativity. Perfect for classrooms, play areas, and activity zones, this ergonomic set promotes comfort, collaboration, and joyful learning for children.



Features




MS Pipe Powder
Coated Frame



Pre Laminated
Top



Plastic Shell
Chair



Multi Color
Options



KIDNEY

PKF-01



RECTA

PKF-02



HEXA

PKF-03



TRAPE

PKF-04



NEST

PKF-05



DAISY

PKF-06



SPHERE

PKF-07



LUNE

PKF-08



ZINNI

PKF-09



ROSE

PKF-10



LILY

PKF-11



MARIGOLD

PKF-12





CUBE STORAGE

PKF-13



LADDER STORAGE

PKF-14



STEP STORAGE

PKF-15



LOTUS STORAGE

PKF-16



DOT STORAGE

PKF-17



ECHO STORAGE

PKF-18



Promark Green Chalk Board is designed for modern classrooms, offering a smooth, durable writing surface ideal for chalk use. Its non-reflective surface ensures clear visibility from every corner of the room, reducing glare under bright lighting. Built with a strong metallic frame, it provides long-lasting performance and easy wall mounting. Perfect for schools, colleges, and training centers, this board combines classic teaching methods with a modern, professional look.



PGB-CER

Magnetic Ceramic Chalk Board

- Scratch resistant ceramic magnetic surface
- Smooth writing experience
- Wear & tear resistant
- Durable construction
- Sizes: 600x900 mm, 900x1200 mm, 1200x1800 mm, 1200x2400 mm, 1200x3000 mm, 1200x3600 mm



PGB-RC

Magnetic Resin Coated Chalk Board

- Resin coated magnetic surface
- Smooth writing experience
- Wear & tear resistant
- Durable construction
- Sizes: 600x900 mm, 900x1200 mm, 1200x1800 mm, 1200x2400 mm, 1200x3000 mm, 1200x3600 mm



PGB-NM

Non Magnetic Laminated Chalk Board

- Laminated non magnetic surface finish
- Smooth writing experience
- Non reflective finish
- Durable construction
- Sizes: 600x900 mm, 900x1200 mm, 1200x1800 mm, 1200x2400 mm



Promark White Board is a premium writing solution built for classrooms, offices, and training environments. It features a smooth, glossy surface that ensures effortless writing and easy cleaning with any dry-erase marker. The board provides clear visibility without glare, making it ideal for long teaching. With its sturdy mettalic frame and sleek design, the Promark White Board delivers durability, elegance, and practicality for everyday use.



PWB-CER

Magnetic Ceramic Chalk Board

- Scratch resistant ceramic magnetic surface
- Smooth writing experience
- Wear & tear resistant
- Durable construction
- Sizes: 600x900 mm, 900x1200 mm, 1200x1800 mm, 1200x2400 mm, 1200x3000 mm, 1200x3600 mm



PWB-RC

Magnetic Resin Coated Chalk Board

- Resin coated magnetic surface
- Smooth writing experience
- Wear & tear resistant
- Durable construction
- Sizes: 600x900 mm, 900x1200 mm, 1200x1800 mm, 1200x2400 mm, 1200x3000 mm, 1200x3600 mm



PWB-NM

Non Magnetic Laminated Chalk Board

- Laminated non magnetic surface finish
- Smooth writing experience
- Non reflective finish
- Durable construction
- Sizes: 600x900 mm, 900x1200 mm, 1200x1800 mm, 1200x2400 mm



Notice Board

Sizes: 600x900 mm, 900x1200 mm, 1200x1800 mm, 1200x2400 mm



Notice Board with acrylic cover

Sizes: 600x900 mm, 900x1200 mm



Cork Board(Available in natural cork red, green & blue)

Sizes: 600x900 mm, 900x1200 mm, 1200x1800 mm, 1200x2400 mm



Key Hanging Board

Sizes: 600x900 mm, 900x1200 mm



Board With Stand

Size: 600x900 mm



Board With Multiple Stands

Size: 600x900 mm



Lobby Board

Size: 600x900 mm

Dustbins



PDB-011

Capacity: 60 L, 70 L, 90 L



PDB-16

Capacity: 60 L, 80 L, 100 L



PDB-05

Capacity: 60 L



PDB-12

Capacity: 90 L, 120 L, 240 L



HOSPITAL FURNITURE

Promark Auditorium Chairs are designed to deliver superior comfort, durability, and style. With ergonomic seating, premium upholstery, and a sturdy metal frame, they ensure long hours of comfortable sitting. Ideal for auditoriums, lecture halls, and theatres, these chairs combine modern aesthetics with long-lasting performance.



PHF-01
Fowler bed



PHF-02
Semi-Fowler bed
Head Foot ABS



PHF-03
Semi-Fowler bed
Head foot Wooden



PHF-04
Patient Trolley



PHF-05
Emergency Trolley



PHF-06
Stretcher



PHF-07
Labour Table



PHF-08
Examination Couch



PHF-09
Examination Couch



PHF-10
Plain Bed



PHF-11
Attendant bed



PHF-12
Baby Crib



PHF-13
Wheel Chair Folding



PHF-14
Wheel Chair Non-Folding



PHF-15
Three Fold Screen



PHF-16
SS Mayo Trolley



PHF-17
SS Instrument Trolley



PHF-18
SS Dressing Trolley



PHF-19
Crash Cart



PHF-20
Over Bed Table



PHF-21
Bed Side Storage



PHF-22
Bed Side Locker



PHF-23
Bed Side Locker



PHF-24
Over Bed Table



PHF-25
Monitor Trolley



PHF-26
SS Revolving Stool



PHF-27
Cushion Revolving Stool



PHF-28
Double Foot Step



PHF-29
SS Saline/IV Stand



PHF-30
MS Saline/IV Stand



Promark's Open Gym Equipment is built for durability, safety, and all-weather performance. Designed to promote fitness and wellness in parks, schools, and communities, our equipment supports a range of exercises for strength, flexibility, and cardio — encouraging a healthy outdoor lifestyle for everyone.



POG-01



POG-02



POG-03



POG-04



POG-05



POG-06



POG-07



POG-08



POG-09



POG-10



POG-11



POG-12



POG-13



POG-14



POG-15



POG-16



POG-17



POG-18



Promark's Outdoor Play Equipment is designed to make every child's playtime safe, fun, and active. Built with durable, weather-resistant materials, our play systems encourage physical fitness, creativity, and teamwork. Ideal for schools, parks, and societies, Promark ensures quality, safety, and long-lasting enjoyment for children of all ages.



Multiplay Station (Play Tower Set)

- Multiple slides, climbers & platforms
- FRP slides with strong MS frame
- Safe rounded edges, child-friendly design

Combo Swing & Climber Set

- Swings + rope/climbing ladder in one unit
- Powder coated steel frame for durability
- Encourages balance, coordination & group play



Straight Slide

Strong MS frame with smooth FRP slide tray for safe sliding.



Spiral Slide

Heavy-duty spiral FRP slide for fun circular sliding motion.



Tube Slide

Fully enclosed FRP tunnel slide for extra safety and excitement.



Double Swing Set

MS powder coated frame with two comfortable swing seats.



Merry Go Round

Round rotating platform with hand-hold bars for balanced spinning play.




Spring Rider

Bouncy ride for toddlers.



See-Saw

Seesaw with ergonomic seats and stopper for balanced up-down motion.



Rope Pyramid Climber

Steel pole with nylon rope net for full body climbing exercise.



Trampoline with Net

Safe bounce enclosure.



Sand Pit

Wooden sand play area for creative and sensory play



Arch Climber

Curved ladder frame for climbing and body flexibility training.



Jungle Gym Climber

Full body climbing structure providing strength and coordination.



Single Swing with Back Support

Swing seat with back support for toddlers and safe swinging.




Round Standing Merry Go Round

Anti-slip circular platform for safe rotating group play.



Wave Slide

FRP wave-shaped slide offering smooth wavy sliding motion.



Rocking Seesaw Bench

Dual-seat rocking balance game with comfortable seating.

Engineered Wood Shades



Highland Pine



Mangfall Beech



White Teak




Nayana Teak



Khaya Mahogany



Oxford Cherry




Frosty White




Silver Grey




Elegant Teak



Classic Planked Walnut



Black



Gothic Grey


Powder Coating Shades



Misty Grey




Silver Ash Grey



Black Semi Gloss



DA Grey



RAL 7035 Structure



Pepsi Blue



Ivory High gloss



RAL 9016 White



Signal Red



Graphite Grey

There might be a slight difference between the shades shown in the image and the actual shades.



SHEARING MACHINE



CNC LASER CUTTING



CNC HYDRAULIC BENDING



POWER PRESS



SPOT WELDING MACHINE



MIG WELDING MACHINE



LASER WELDING MACHINE



ARGON WELDING MACHINE



PIPE CUTTING MACHINE




AUTOMATIC 3-AXIS PIPE
BENDING MACHINE



SEMAUTO PIPE BENDING MACHINE




POWDER COATING PLANT



BEAM SAW



PANEL SAW



PANEL SAW



CNC THROUGH FEED
EDGE BANDING MACHINE



CNC THROUGH FEED
EDGE BANDING MACHINE



CONTOUR EDGE BANDING MACHINE



POST FORMING MACHINE




3-HEAD MULTI BORING
MACHINE



CNC ROUTER



HOT PRESS MACHINE



COLD PRESS MACHINE



BANDSAW AND SIDE CUTTING
MACHINE

PROUDLY SERVING



125 Cr

Average of 3 years



GeM
Government
e Marketplace

6500+

Orders executed on Gem



20000+

Satisfied customers



270+

Professionals
across the country

CERTIFICATIONS



PROMARK TECHSOLUTIONS PRIVATE LIMITED

CORPORATE OFFICE

Promark Corporate Mansion, Plot No E-250,
Industrial Area 8-B, Mohali, Punjab, India-
160071

FACTORY

Ludhiana Highway (NH-95), Morinda By-
Pass, Village Madoli, Morinda, Distt Ropar-
Punjab-140413

SALES OFFICE

New Delhi (A-14, GF, DDA Sheds, Okhla
Industrial Area, Phase-II, New Delhi-
110020)

Branch offices - Jammu, Srinagar, Raipur, Patna, Lucknow, Bareilly, Guwahati, Bhubaneswar, Ranchi, Jaipur & Coimbatore



1800 569 3960



sales@promark.co.in



www.promark.co.in